




## Technical Specifications

<b>Dose range</b>	0.05mSv – 10Sv
<b>Dose linearity</b>	up to 10Sv
<b>Energy response</b>	16keV to several MeV
<b>Angular response</b>	$\pm 60^\circ$
<b>OSL material</b>	2x BeO detectors
<b>Identification</b>	individual barcode
<b>Dimension (without Blister)</b>	ca. 33*22*5mm
<b>Dimension (standard Holder)</b>	ca. 56*34*10mm
<b>Dimension (standard Blister)</b>	ca. 44*40*6mm
<b>Blister properties</b>	<ul style="list-style-type: none"><li>• single use</li><li>• waterproof</li><li>• small &amp; light</li><li>• mounting hole for clip</li><li>• place for a label on rear &amp; front side</li></ul>
<b>Holder properties</b>	<ul style="list-style-type: none"><li>• multiple use</li><li>• small &amp; light</li><li>• mounting hole for clip or hanger</li><li>• different colours</li><li>• place for a lable on front &amp; rear side</li><li>• possible to keep closed with plastic rivets</li></ul>

## Accessories



Blister



Holder

## OSL reader & eraser



myOSLraser

**RadPro** International GmbH  
*...Radiation Protection for the Radiation Professionals...*

Schwanen 10  
42929 Wermelskirchen  
Germany  
Phone: +49 2196 889803  
Email: [sales@radproint.de](mailto:sales@radproint.de)  
Web: [www.radpro-int.com](http://www.radpro-int.com)

